

**GALESBURG FIRE DEPARTMENT
FIRE PREVENTION BUREAU
SUPPRESSION SYSTEM PERMIT APPLICATION**

This form is to be completed and returned to: Galesburg Fire Department
Fire Prevention Bureau
150 South Broad St.
Galesburg, IL 61401

This form must be submitted with a check to cover the permit fee (\$40) and two (2) sets of plans (to scale) of the work site a minimum of two (2) weeks prior to any scheduled work at the location. All work must conform to the 2006 International Fire Code. Please call 309-345-3756 for more information.

Please Note: If the suppression system is attached to an alarm system, additional licenses or permits may be required from both the Fire Prevention Bureau and the City Clerk's Office.

TYPE OF ACTION

Installation Modification Removal Expansion
 Other – Describe: _____

TYPE OF SYSTEM (indicate all that apply)

Sprinkler System Hood Suppression System
 Other – Describe: _____

FACILITY OWNER

Name: _____
Street Address: _____
City/St/Zip: _____
Contact Person: _____
Phone: _____

FACILITY INFORMATION

Name: _____
Street Address: _____
City/St/Zip: Galesburg, Illinois 61401
Contact Person: _____
Phone: _____

CONTRACTOR

Name: _____
Street Address: _____
City/St/Zip: _____
Contact Person: _____
Phone: _____

TYPE OF MONITORING --REQUIRED INFORMATION--

Direct line to PSB Communications Center
 Direct line to alarm company monitoring center, company: _____

DATE WORK IS SCHEDULED TO BEGIN: _____

APPROXIMATE COMPLETION DATE: _____

Date Received by Fire Prevention Bureau: _____ Approved by: _____

Permit # _____

SUPPRESSION SYSTEM INFORMATION

Galesburg Fire Department

150 S. Broad St.

Galesburg, Illinois

Phone: 309-345-3756

Fax: 309-343-1340

The City of Galesburg has adopted the 2006 International Fire Code by City Ordinance. Sprinkler systems must conform to adopted City code and the appropriate NFPA 13 requirements.

Before an occupancy permit is granted the Fire Prevention Bureau must receive documentation of acceptance testing and statement of compliance.

The following Fire Code Requirements apply:

901.2 Construction Documents

The code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Construction documents include, but are not limited to:

1. Floor plan
2. Working plans
3. Water supply information
4. Hydraulic calculations
5. Owner's Certification as required by NFPA 13.

901.2.1 Statement of Compliance

Before requesting final approval of the installation, where required by the code official, the installing contractor shall furnish a written statement to the code official that the subject fire protection system has been installed in accordance with approved plans and has been tested in accordance with the manufacturer's specifications and the appropriate installation standard. Any deviation from the design standards shall be noted and copies of the approvals for such deviations shall be attached to the written statement.

901.5 Installation Acceptance Testing

Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the code official. *The code official shall be notified a minimum of 24 hours prior to any required acceptance testing.*